



<i>INTRODUCTION</i>	<i>36</i>
<i>GLS</i>	
<i>GLS Pearl</i>	<i>38</i>
<i>GLS Clear</i>	<i>39</i>
<i>GLS-T Brilliant Satin & Clear</i>	<i>40</i>
<i>GLS-T Pastel Satin</i>	<i>41</i>
<i>GLS Colour and Vacuum</i>	<i>42</i>
<i>GLS Long Life</i>	<i>43</i>
<i>GLS High Wattage</i>	<i>44</i>
<i>GLS Extra Low Voltage</i>	<i>45</i>
<i>GLS Traffic Signal</i>	<i>46</i>
<i>GLS Energy Saver</i>	<i>47</i>
<i>GLS Super Deluxe</i>	<i>48</i>
<i>GLS Krypton</i>	<i>49</i>
<i>CANDLE LAMPS</i>	
<i>Candle Brilliant Satin & Clear</i>	<i>50</i>
<i>Candle Twisted</i>	<i>51</i>
<i>Candle Pastel Satin / Krypton</i>	<i>52</i>
<i>Candle Giant Twisted</i>	<i>53</i>
<i>ROUND LAMPS</i>	
<i>Round Brilliant Satin & Clear</i>	<i>54</i>
<i>Round Pastel Satin</i>	<i>55</i>
<i>Round Krypton</i>	<i>56</i>
<i>Round Colour and Vacuum</i>	<i>57</i>
<i>GLOBE LAMPS</i>	<i>58</i>
<i>REFLECTOR LAMPS</i>	
<i>Reflector Standard</i>	<i>59</i>
<i>Reflector Coloured</i>	<i>60</i>
<i>Neodymium</i>	<i>61</i>
<i>Crown Silvered</i>	<i>62</i>
<i>PAR38 / PAR38 Cool Beam</i>	<i>63</i>
<i>PAR38 Coloured</i>	<i>64</i>
<i>SPECIAL LAMPS</i>	
<i>Tubular</i>	<i>65</i>
<i>Pygmy and Pygmy Oven</i>	<i>66</i>
<i>Striplights / Linear</i>	<i>67</i>
<i>TECHNICAL DATA</i>	
<i>Lamp caps</i>	<i>68</i>

INCANDESCENT LAMPS



Incandescent lamps, with a typical average rated life of 1000 hours, are still widely used throughout the world in commercial and domestic lighting applications. Research shows on-going improvements in lamp performance and the introduction of new shapes and colour tones stimulates user purchases. As a result, Sylvania's range of incandescent lamps undergo continual development and improvement leading to better lens and reflector designs, more efficient filaments, gas fillings and infra-red reflective coatings.

Brilliant Satin lamps, with improved white coating, have an even-surface brightness which reduces the shadows thrown by normal lamps and are designed for those areas where people need bright white light with minimal envelope glare.

Clear lamps deliver the extra sparkle demanded for chandeliers and glass luminaires.

INCANDESCENT LAMPS



Pastel Satin is based on our satin coating technology; to which a hint of colour has been applied to enhance the decor of rooms where people seek peace and comfort. Available in Apricot (a touch of orange) Azure (a touch of blue), Crème (Cream), Jade (a touch of green) and Rose (a touch of pink).

Brilliant Satin, **Clear**, and **Pastel Satin** lamps are available in all popular sizes in the new T60 envelope, introduced as an alternative to the more traditional pear-shaped envelope, as well as in 45 mm round and 35 mm candle lamps.



GLS PEARL

Standard pear-shaped incandescent lamps with a pearl finish envelope.




FEATURES

- Pearl finish
- Easy to operate
- Excellent colour reproduction

APPLICATIONS

- Commercial and domestic lighting



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25W 230V E27	pearl	25	230	E27	104	60	230	100	0012902
25W 240V E27	pearl	25	240	E27	104	60	225	100	0012942
25W 240V B22	pearl	25	240	B22	103	60	225	100	0012945
40W 230V E27	pearl	40	230	E27	104	60	415	100	0013002
40W 240V E27	pearl	40	240	E27	104	60	410	100	0013042
40W 240V B22	pearl	40	240	B22	103	60	410	100	0013045
60W 230V E27	pearl	60	230	E27	104	60	710	100	0013102
60W 240V E27	pearl	60	240	E27	104	60	700	100	0013142
60W 240V B22	pearl	60	240	B22	103	60	700	100	0013145
75W 230V E27	pearl	75	230	E27	104	60	925	100	0013202
75W 240V E27	pearl	75	240	E27	104	60	915	100	0013242
75W 240V B22	pearl	75	240	B22	103	60	915	100	0013245
100W 230V E27	pearl	100	230	E27	104	60	1340	100	0013302
100W 240V E27	pearl	100	240	E27	104	60	1330	100	0013342
100W 240V B22	pearl	100	240	B22	103	60	1330	100	0013345

GLS CLEAR

Standard pear-shaped incandescent lamps with a crystal clear envelope.




FEATURES

- Clear sparkling light
- Easy to operate
- Excellent colour reproduction

APPLICATIONS

- Commercial and domestic lighting



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25W 230V E27	clear	25	230	E27	104	60	230	100	0012900
25W 240V E27	clear	25	240	E27	104	60	225	100	0012941
25W 240V B22	clear	25	240	B22	103	60	225	100	0012944
40W 230V E27	clear	40	230	E27	104	60	415	100	0013000
40W 240V E27	clear	40	240	E27	104	60	410	100	0013041
40W 240V B22	clear	40	240	B22	103	60	410	100	0013044
60W 230V E27	clear	60	230	E27	104	60	710	100	0013100
60W 240V E27	clear	60	240	E27	104	60	700	100	0013141
60W 240V B22	clear	60	240	B22	103	60	700	100	0013144
75W 230V E27	clear	75	230	E27	104	60	925	100	0013200
75W 240V E27	clear	75	240	E27	104	60	915	100	0013241
75W 230V B22	clear	75	230	B22	103	60	925	100	0013220
100W 230V E27	clear	100	230	E27	104	60	1340	100	0013300
100W 240V E27	clear	100	240	E27	104	60	1330	100	0013341
100W 240V B22	clear	100	240	B22	103	60	1330	100	0013344

GLS-T BRILLIANT SATIN & CLEAR

A range of T-shaped incandescent lamps with a modern appearance. The high-tech electrostatic coating process produces an envelope with a pure white finish.




FEATURES

- T-shaped envelope
- Modern appearance
- More even and superior quality light
- No hard shadows
- Available in Brilliant Satin and Clear finishes

APPLICATIONS

- Commercial and domestic lighting
- Replaces conventional incandescent lamps in applications where the lamp appearance is important
- Recommended for use in luminaires where the lamp is completely visible or forms an integral part of the luminaire design



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25W 230V E27	brilliant satin	25	230	E27	104	60	185	100	0012947
25W 230V B22	brilliant satin	25	230	B22	103	60	185	100	0012949
40W 230V E27	brilliant satin	40	230	E27	104	60	385	100	0013014
40W 230V B22	brilliant satin	40	230	B22	103	60	385	100	0013039
60W 230V E27	brilliant satin	60	230	E27	104	60	655	100	0013134
60W 230V B22	brilliant satin	60	230	B22	103	60	655	100	0013139
75W 230V E27	brilliant satin	75	230	E27	104	60	850	100	0013234
75W 230V B22	brilliant satin	75	230	B22	103	60	850	100	0013239
100W 230V E27	brilliant satin	100	230	E27	104	60	1210	100	0013314
100W 230V B22	brilliant satin	100	230	B22	103	60	1210	100	0013319
25W 230V E27	clear	25	230	E27	104	60	185	100	0012946
40W 230V E27	clear	40	230	E27	104	60	385	100	0013013
60W 230V E27	clear	60	230	E27	104	60	655	100	0013133
75W 230V E27	clear	75	230	E27	104	60	850	100	0013233
100W 230V E27	clear	100	230	E27	104	60	1210	100	0013313

GLS-T PASTEL SATIN

T-shaped incandescent lamps with a gentle touch of pastel colour.




FEATURES

- T-shaped envelope
- Modern appearance
- Choice of five colours: Apricot (a touch of orange), Azure (a touch of blue) Cream, Jade (a touch of green) and Rose (a touch of pink)

APPLICATIONS

- Commercial and domestic lighting
- Where a gentle touch of colour will add interest or atmosphere.



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25W 230V E27	crème	25	230	E27	104	60	215	100	0003170
40W 230V E27	crème	40	230	E27	104	60	400	100	0003171
60W 230V E27	crème	60	230	E27	104	60	670	100	0003319
60W 230V E27	apricot	60	230	E27	104	60	630	100	0003320
60W 230V E27	rose	60	230	E27	104	60	540	100	0003321
60W 230V E27	azure	60	230	E27	104	60	570	100	0003322
60W 230V E27	jade	60	230	E27	104	60	580	100	0003323
60W 230V B22	crème	60	230	B22	103	60	670	100	0003133
60W 230V B22	apricot	60	230	B22	103	60	630	100	0003134
60W 230V B22	rose	60	230	B22	103	60	540	100	0003135
60W 230V B22	azure	60	230	B22	103	60	570	100	0003136
60W 230V B22	jade	60	230	B22	103	60	580	100	0003137
75W 230V E27	crème	75	230	E27	104	60	900	100	0003172
100W 230V E27	crème	100	230	E27	104	60	1250	100	0003173

GLS COLOUR AND VACUUM

Pear-shaped lamps with a choice of vivid coloured envelopes.




FEATURES

- Choice of five colours: White, Red, Blue, Green and Yellow
- Also available with a pearl finish or clear envelope
- Weather resistant (vacuum types only)

APPLICATIONS

- To create a festive atmosphere, e.g. lighting of Christmas trees and at fairs, carnivals, festivals, etc.
- Outdoor lighting (vacuum types only)



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
15W 230V B22	white	15	230	B22	103	60	-	100	0008309
15W 230V B22	red	15	230	B22	103	60	-	100	0008287
15W 230V B22	blue	15	230	B22	103	60	-	100	0008386
15W 230V B22	green	15	230	B22	103	60	-	100	0008388
15W 230V B22	yellow	15	230	B22	103	60	-	100	0008289
15W 230V B22	clear	15	230	B22	103	60	110	100	0003006
15W 230V B22	pearl	15	230	B22	103	60	110	100	0003007
15W 230V E27	clear	15	230	E27	104	60	110	100	0003026
15W 230V E27	pearl	15	230	E27	104	60	110	100	0003025
15W 240V E27	clear	15	240	E27	104	60	105	100	0003030
15W 240V E27	pearl	15	240	E27	104	60	105	100	0003031
15W 240V B22	clear	15	240	B22	103	60	105	100	0003040
15W 240V B22	pearl	15	240	B22	103	60	105	100	0003041
25W 240V E27	blue	25	240	E27	104	60	-	100	0008453
25W 240V E27	red	25	240	E27	104	60	-	100	0008454
25W 240V E27	green	25	240	E27	104	60	-	100	0008455
25W 240V E27	yellow	25	240	E27	104	60	-	100	0008456

GLS LONG LIFE

Standard pear-shaped incandescent lamps offering more than double the life of a standard GLS incandescent lamp.




FEATURES

- Pear-shaped envelope
- Last up to 2.5 times longer than conventional GLS lamps

APPLICATIONS

- Commercial and domestic lighting



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25W 240V E27	satin	25	240	E27	104	60	170	100	0012943
40W 240V E27	satin	40	240	E27	104	60	350	100	0013043
60W 240V E27	satin	60	240	E27	104	60	600	100	0013143
75W 240V E27	satin	75	240	E27	104	60	770	100	0013243
100W 240V E27	satin	100	240	E27	104	60	1090	100	0013343

GLS HIGH WATTAGE

High output pear-shaped incandescent lamps with a pearl or clear envelope.




FEATURES

- High output
- Pearl or clear envelope

APPLICATIONS

- General, commercial and agricultural lighting i.e. garages, cellars, outhouses, car parks, staircases, etc.



Item description	Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
				L	D			
150W 230V E27 clear	150	230	E27	128	68	2160	100	0004305
150W 230V E27 pearl	150	230	E27	128	68	2160	100	0004306
150W 240V B22 clear	150	240	B22	127	68	2150	100	0004311
150W 240V B22 pearl	150	240	B22	127	68	2150	100	0004312
150W 240V E27 pearl	150	240	E27	128	68	2150	100	0004310
200W 230V E27 clear	200	230	E27	128	68	3090	100	0004345
200W 230V E27 pearl	200	230	E27	128	68	3090	100	0004346
200W 240V E27 clear	200	240	E27	128	68	3080	100	0004349
200W 240V E27 pearl	200	240	E27	128	68	3080	100	0004350
200W 240V B22 clear	200	240	B22	127	68	3080	100	0004351
300W 240V E40 clear	300	240	E40	187	88	4550	10	0010008
300W 230V E40 clear	300	230	E40	187	88	4275	10	0010006
300W 240V E27 clear	300	240	E27	175	88	4550	10	0010007

GLS EXTRA LOW VOLTAGE

Pear - shaped incandescent lamps for operating on low voltage circuits.




FEATURES

- Pearl or clear envelope
- Suitable for operation on low voltage circuits (24-25V)

APPLICATIONS

- Emergency lighting
- Machines
- Signs and signal panels



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25W 24-25V E27	clear	25	24-25	E27	104	60	316	100	0009668
25W 24-25V E27	pearl	25	24-25	E27	104	60	316	100	0009669
40W 24-25V E27	clear	40	24-25	E27	104	60	610	100	0009696
40W 24-25V E27	pearl	40	24-25	E27	104	60	610	100	0009697
40W 24-25V B22	clear	40	24-25	B22	103	60	610	100	0009694
40W 24-25V B22	pearl	40	24-25	B22	103	60	610	100	0009695
60W 24-25V E27	clear	60	24-25	E27	104	60	960	100	0009728
60W 24-25V E27	pearl	60	24-25	E27	104	60	960	100	0009729
60W 24-25V B22	clear	60	24-25	B22	103	60	960	100	0009726
60W 24-25V B22	pearl	60	24-25	B22	103	60	960	100	0009727
75W 24-25V B22	clear	75	24-25	B22	103	60	1310	100	0009759
100W 24-25V E27	pearl	100	24-25	E27	104	60	1800	100	0009781
100W 24-25V E27	clear	100	24-25	E27	104	60	1800	100	0009780
100W 24-25V B22	clear	100	24-25	B22	103	60	1800	100	0009779
100W 24-25V B22	pearl	100	24-25	B22	103	60	1800	100	0009785

GLS TRAFFIC SIGNAL

Special incandescent lamps with a re-enforced filament to resist vibrations.




FEATURES

- Round (45 mm) or mushroom shaped (50 mm) envelope
- The filament is held by extra supports to resist vibration
- Average rated life: 8000 hours

APPLICATIONS

- Traffic lights and signs



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
Round shaped									
25W 230V E27	clear	25	230	E27	71	45	135	100	0009868
25W 130V E27	clear	25	130	E27	71	45	190	100	0009866
25W 230V B22	clear	25	230	B22	70	45	135	100	0009869
25W 130V B22	clear	25	130	B22	70	45	190	100	0009867
40W 230V E27	clear	40	230	E27	71	45	300	100	0009893
40W 130V E27	clear	40	130	E27	71	45	360	100	0009891
40W 230V B22	clear	40	230	B22	70	45	300	100	0009894
40W 130V B22	clear	40	130	B22	70	45	360	100	0009892
Mushroom shaped									
55W 230V E27	clear	55	230	E27	87	50	435	100	0009718
55W 130V E27	clear	55	130	E27	87	50	510	100	0009716
55W 230V B22	clear	55	230	B22	86	50	435	100	0009719
70W 230V E27	clear	70	230	E27	87	50	605	100	0009748
70W 130V E27	clear	70	130	E27	87	50	710	100	0009746
70W 230V B22	clear	70	230	B22	86	50	605	100	0009749
70W 130V B22	clear	70	130	B22	86	50	750	100	0009747

GLS ENERGY SAVING

Incandescent lamps that use 10% less energy compared to equivalent standard GLS lamps.




FEATURES

- Mushroom shaped envelope
- Use 10% less energy
- Same light output and lamp life as equivalent standard GLS lamps

APPLICATIONS

- General commercial and domestic lighting



Item description	Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
				L	D			
36W 230V E27 pearl	36	230	E27	87	50	415	100	0003367
54W 230V E27 pearl	54	230	E27	87	50	715	100	0003549
69W 230V E27 pearl	69	230	E27	87	50	940	100	0003951
93W 230V E27 pearl	93	230	E27	95	60	1350	100	0004159

GLS SUPER DELUXE

Mushroom-shaped incandescent lamps. The crown of the lamp has a pearl finish envelope while the rest of the envelope has a white coating.




FEATURES

- Mushroom shaped envelope

APPLICATIONS

- Commercial and domestic lighting



Item description	Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
				L	D			
40W 230V E27	40	230	E27	87	50	390	100	0005082
60W 230V E27	60	230	E27	87	50	670	100	0005083
75W 230V E27	75	230	E27	87	50	875	100	0005084
100W 230V E27	100	230	E27	95	60	1260	100	0005085

GLS KRYPTON

Incandescent lamps filled with Krypton gas, offering a higher light output than equivalent standard GLS lamps.




FEATURES

- Mushroom shaped envelope
- Krypton gas filled
- White finish envelope

APPLICATIONS

- Commercial and domestic lighting, i.e. offices, shops, hotels, etc.



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
40W 230V E27	opal	40	230	E27	87	50	415	100	0003363
40W 230V B22	opal	40	230	B22	86	50	415	100	0003365
60W 230V E27	opal	60	230	E27	87	50	715	100	0003545
60W 230V B22	opal	60	230	B22	86	50	715	100	0003547
75W 230V E27	opal	75	230	E27	87	50	940	100	0003947
75W 230V B22	opal	75	230	B22	86	50	940	100	0003949
100W 230V E27	opal	100	230	E27	95	60	1350	100	0004155
100W 230V B22	opal	100	230	B22	94	60	1350	100	0004157
150W 230V E27	opal	150	230	E27	111	65	2175	100	0004315
150W 230V B22	opal	150	230	B22	110	65	2175	100	0004317

CANDLE BRILLIANT SATIN & CLEAR

Candle shaped incandescent lamps. Brilliant Satin lamps have a pure white envelope finish obtained by a high-tech electrostatic process. Clear lamps have a crystal clear envelope for added sparkle.




FEATURES

- Candle shaped envelope
- More even, superior quality light (Brilliant Satin) or sparkling crystal clear light of impeccable quality (Clear)
- E14, E27or B22 cap

APPLICATIONS

- Commercial and domestic decorative lighting



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
Brilliant Satin									
15 W 230V E14	satin	15	230	E14	97	35	105	100	0011261
25 W 230V E14	satin	25	230	E14	97	35	215	100	0011272
25 W 230V B22	satin	25	230	B22	91	35	215	100	0011292
25 W 240 V B22	satin	25	240	B22	91	35	215	100	0011000
25 W 230V E27	satin	25	230	E27	92	35	215	100	0006306
40 W 230V E14	satin	40	230	E14	97	35	415	100	0011302
40 W 230V B22	satin	40	230	B22	91	35	415	100	0011323
40 W 240 V B22	satin	40	240	B22	91	35	415	100	0011052
40 W 230V E27	satin	40	230	E27	92	35	415	100	0006476
60 W 230V E14	satin	60	230	E14	97	35	700	100	0011352
60 W 230V B22	satin	60	230	B22	91	35	700	100	0011372
60 W 240V B22	satin	60	240	B22	91	35	700	100	0011100
60 W 230V E27	satin	60	230	E27	92	35	700	100	0006644
Clear									
15 W 240V E14	clear	15	240	E14	97	35	100	100	0011263
25 W 230V E14	clear	25	230	E14	97	35	215	100	0011270
25 W 230V B22	clear	25	230	B22	91	35	215	100	0011291
25 W 240V B22	clear	25	240	B22	91	35	215	100	0011001
25 W 230V E27	clear	25	230	E27	92	35	215	100	0006301
40 W 230V E14	clear	40	230	E14	97	35	415	100	0011300
40 W 230V B22	clear	40	230	B22	91	35	415	100	0011321
40 W 240V B22	clear	40	240	B22	91	35	415	100	0011053
40 W 230V E27	clear	40	230	E27	92	35	415	100	0006470
60 W 230V E14	clear	60	230	E14	97	35	700	100	0011350
60 W 230V B22	clear	60	230	B22	91	35	700	100	0011371
60 W 240V B22	clear	60	240	B22	91	35	700	100	0011101
60 W 230V E27	clear	60	230	E27	92	35	700	100	0006643

CANDLE TWISTED

Candle shaped lamps with a twisted envelope.




FEATURES

- Decorative appearance
- Twisted candle shaped envelope
- Clear or satin envelope finish
- E14 or B22 cap

APPLICATIONS

- Commercial and domestic decorative lighting
- To replace candle lamps in wall or ceiling luminaires



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25 W 230V E14	clear	25	230	E14	97	35	215	100	0011400
25 W 230V E14	satin	25	230	E14	97	35	215	100	0011404
25 W 230V B22	satin	25	230	B22	91	35	215	100	0011406
40 W 230V E14	clear	40	230	E14	97	35	415	100	0011410
40 W 230V E14	satin	40	230	E14	97	35	415	100	0011412
40 W 230V B22	satin	40	230	B22	91	35	415	100	0011426
60 W 230V E14	clear	60	230	E14	97	35	700	100	0011430
60 W 230V E14	satin	60	230	E14	97	35	700	100	0011432
60 W 230V B22	satin	60	230	B22	91	35	700	100	0011436

CANDLE - PASTEL SATIN

Candle shaped incandescent lamps with a touch of colour added to the coating to create gentle pastel shades.



FEATURES

- Candle shaped envelope
- Choice of five colours: Apricot (a touch of orange), Azure (a touch of blue) Cream, Jade (a touch of green) and Rose (a touch of pink)
- E14 cap

APPLICATIONS

- Commercial and domestic decorative lighting
- Where a gentle touch of colour will add interest or atmosphere

CANDLE - KRYPTON

Incandescent lamps filled with Krypton gas, delivering a higher light output than equivalent standard candle lamps.




FEATURES

- Candle shaped envelope
- Krypton gas filled
- White envelope finish
- E14 cap

APPLICATIONS

- Commercial and domestic lighting, i.e. in offices, shops, hotels



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
Candle Pastel Satin									
40W 230V E14	cream	40	230	E14	97	35	380	100	0006215
40W 230V E14	apricot	40	230	E14	97	35	360	100	0006216
40W 230V E14	rose	40	230	E14	97	35	320	100	0006217
40W 230V E14	azure	40	230	E14	97	35	315	100	0006218
40W 230V E14	jade	40	230	E14	97	35	320	100	0006219
Candle Krypton									
25W 230V E14	opal	25	230	E14	97	35	215	100	0011450
40W 230V E14	opal	40	230	E14	97	35	410	100	0011454
60W 230V E14	opal	60	230	E14	97	35	700	100	0011457

CANDLE GIANT TWISTED

Giant candle shaped incandescent lamps with a twisted envelope.




FEATURES

- Decorative appearance
- Outside frosted finish
- E14, E27 and B22 cap

APPLICATIONS

- Domestic and commercial decorative lighting
- Wall luminaires, candelabras



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
40W 230V E14	frosted	40	230	E14	128,5	47	410	100	0011423
40W 230V E27	frosted	40	230	E27	125,5	47	410	100	0011424
40W 230V B22	frosted	40	230	B22	124,5	47	410	100	0011421
60W 230V E14	frosted	60	230	E14	128,5	47	700	100	0011443
60W 230V E27	frosted	60	230	E27	125,5	47	700	100	0011445
60W 230V B22	frosted	60	230	B22	124,5	47	700	100	0011441

ROUND BRILLIANT SATIN & CLEAR

Small round incandescent lamps. Brilliant Satin lamps have a pure white envelope finish obtained by a high-tech electrostatic process. Clear lamps have a crystal clear envelope for added sparkle.








FEATURES

- Round lamp envelope
- More even, superior quality light (Brilliant Satin) or sparkling crystal clear light of impeccable quality (Clear)
- E14, E27 or B22 cap

APPLICATIONS

- Domestic and commercial decorative lighting
- To replace conventional pearl round lamps in applications where the quality of the light and the lamp appearance are more important



Item description	Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
				L	D			
Brilliant Satin								
25W 230V E14 satin	25	230	E14	72,5	45	215	100	0036652
25W 240V E14 satin	25	240	E14	72,5	45	215	100	0036751
25W 230V E27 satin	25	230	E27	71	45	215	100	0037402
25W 230V B22 satin	25	230	B22	70	45	215	100	0037612
25W 240V B22 satin	25	240	B22	70	45	215	100	0037615
40W 230V E14 satin	40	230	E14	72,5	45	415	100	0036852
40W 240V E14 satin	40	240	E14	72,5	45	415	100	0036901
40W 230V E27 satin	40	230	E27	71	45	415	100	0037452
40W 240V E27 satin	40	240	E27	71	45	415	100	0037456
40W 230V B22 satin	40	230	B22	70	45	415	100	0037652
40W 240V B22 satin	40	240	B22	70	45	415	100	0037655
60W 230V E14 satin	60	230	E14	72,5	45	700	100	0036952
60W 230V E27 satin	60	230	E27	71	45	700	100	0037502
60W 230V B22 satin	60	230	B22	70	45	700	100	0037702
Clear								
25W 230V E14 clear	25	230	E14	72,5	45	215	100	0036650
25W 240V E14 clear	25	240	E14	72,5	45	215	100	0036750
25W 230V E27 clear	25	230	E27	71	45	215	100	0037400
25W 230V B22 clear	25	230	B22	70	45	215	100	0037610
40W 230V E14 clear	40	230	E14	72,5	45	415	100	0036850
40W 240V E14 clear	40	240	E14	72,5	45	415	100	0036900
40W 230V E27 clear	40	230	E27	71	45	415	100	0037450
40W 240V E27 clear	40	240	E27	71	45	415	100	0037455
40W 230V B22 clear	40	230	B22	70	45	415	100	0037650
40W 240V B22 clear	40	240	B22	70	45	415	100	0037656
60W 230V E14 clear	60	230	E14	72,5	45	700	100	0036950
60W 230V E27 clear	60	230	E27	71	45	700	100	0037500
60W 230V B22 clear	60	230	B22	70	45	700	100	0037700

ROUND PASTEL SATIN

Small round incandescent lamps with a touch of colour added to the envelope coating to create soft pastel shades.




FEATURES

- Round lamp envelope
- Choice of five colours: Apricot (a touch of orange), Azure (a touch of blue) Cream, Jade (a touch of green) and Rose (a touch of pink)
- E14 or E27 cap

APPLICATIONS

- Domestic and commercial decorative lighting
- Where a gentle touch of colour will add interest or atmosphere



Item description	Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
				L	D			
40W 230V E14 crème	40	230	E14	72,5	45	380	100	0005452
40W 230V E14 apricot	40	230	E14	72,5	45	360	100	0005453
40W 230V E27 rose	40	230	E14	72,5	45	320	100	0005454
40W 230V E14 azure	40	230	E14	72,5	45	315	100	0005455
40W 230V E14 jade	40	230	E14	72,5	45	320	100	0005456
40W 230V E27 crème	40	230	E27	71	45	380	100	0005462
40W 230V E27 apricot	40	230	E27	71	45	360	100	0005463
40W 230V E27 rose	40	230	E27	71	45	320	100	0005464
40W 230V E27 azure	40	230	E27	71	45	315	100	0005465
40W 230V E27 jade	40	230	E27	71	45	320	100	0005466

ROUNDS

ROUND KRYPTON

Incandescent lamps filled with Krypton gas, offering a higher light output than equivalent standard round lamps.




FEATURES

- Round shaped envelope
- Krypton gas filled
- White envelope finish
- E14, E27 or B22 cap

APPLICATIONS

- Commercial and domestic lighting, i.e. in offices, shops, hotels



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25W 230V E14	opal	25	230	E14	72,5	45	215	100	0036760
25W 230V E27	opal	25	230	E27	71	45	215	100	0036761
25W 230V B22	opal	25	230	B22	70	45	215	100	0036762
40W 230V E14	opal	40	230	E14	72,5	45	410	100	0036920
40W 230V E27	opal	40	230	E27	71	45	400	100	0036921
40W 230V B22	opal	40	30	B22	70	45	400	100	0036922
60W 230V E14	opal	60	230	E14	72,5	45	700	100	0036970
60W 230V B22	opal	60	230	B22	70	45	680	100	0036972
60W 230V E27	opal	60	230	E27	71	45	680	100	0036971

ROUND COLOUR AND VACUUM

Small round incandescent lamps with coloured envelope finish.




FEATURES

- Round lamp envelope
- Choice of five colours: White, Blue, Red, Green and Yellow
- Also available with clear or pearl envelope finish
- Weather resistant (vacuum only)
- E14, E27 or B22 cap

APPLICATIONS

- To create a festive atmosphere, e.g. lighting Christmas trees, fairs, carnivals, festivals, etc.
- Outdoor lighting (vacuum only)



Item description	Watt	Volt	Cap	Dimensions (mm)		Packing Quantity	Ordering Code
				L	D		
15W 230V B22 red	15	230	B22	70	45	100	0008658
15W 230V B22 green	15	230	B22	70	45	100	0008764
15W 230V B22 yellow	15	230	B22	70	45	100	0008660
15W 230V B22 clear	15	230	B22	70	45	100	0005421
15W 230V B22 pearl	15	230	B22	70	45	100	0005397
15W 230V B22 white	15	230	B22	70	45	100	0008668
25W 230V E14 yellow	25	230	E14	72,5	45	100	0008755
25W 230V E14 blue	25	230	E14	72,5	45	100	0008752
25W 230V E14 red	25	230	E14	72,5	45	100	0008753
25W 230V E14 green	25	230	E14	72,5	45	100	0008754
25W 230V E27 blue	25	230	E27	71	45	100	0008757
25W 230V E27 red	25	230	E27	71	45	100	0008758
25W 230V E27 green	25	230	E27	71	45	100	0008759
25W 230V E27 yellow	25	230	E27	71	45	100	0008760

GLOBE DECOR

Large round incandescent lamps, with opal globe shaped lamp envelope.




FEATURES

- Round envelope
- Opal finish
- Available in three envelope diameters: 80, 95 and 120 mm
- E27 cap

APPLICATIONS

- Commercial and domestic decorative lighting
- For use in surface mounted ceiling luminaires



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
60W 230V E27	opal	60	230	E27	117	80	670	20	0018561
100W 230V E27	opal	100	230	E27	117	80	1260	20	0018562
60W 230V E27	opal	60	230	E27	136	95	580	20	0018571
100W 230V E27	opal	100	230	E27	136	95	1090	20	0018572
60W 230V E27	opal	60	230	E27	165	120	580	20	0018580
100W 230V E27	opal	100	230	E27	165	120	1090	20	0018581

REFLECTORS STANDARD

Incandescent, blown glass, parabolic reflector lamps. Part of the envelope has an aluminium coating which acts as an integral reflector to form the beam.




FEATURES

- Pearl crown and integral aluminium reflector
- Available in seven diameters: 39, 50, 63, 80, 90, 95 and 125 mm
- E14 or E27 cap

APPLICATIONS

- Accent lighting in commercial and domestic applications
- Shop windows, displays, discos and clubs as well as in the home
- For use in track or surface mounted spotlights or in recessed downlights



Item description	Watt	Volt	Cap	Dimensions (mm)		Beam angle	Packing Quantity	Ordering Code
				L	D			
25W 230V R50 pearl	25	230	E14	85	50	35°	100	0015531
25W 240V R50 pearl	25	240	E14	85	50	35°	100	0015535
30W 230V R39 pearl	30	230	E14	65	39	40°	100	0015918
30W 240V R39 pearl	30	240	E14	65	39	40°	100	0015908
40W 230V R50 pearl	40	230	E14	85	50	35°	100	0015534
40W 240V R50 pearl	40	240	E14	85	50	35°	100	0015537
40W 230V R63 pearl	40	230	E27	103	63	35°	100	0015568
40W 240V R63 pearl	40	240	E27	103	63	35°	100	0015550
40W 230V R80 pearl	40	230	E27	110	80	80°	100	0015558
40W 240V R80 pearl	40	240	E27	110	80	80°	100	0015570
40W 230V R90 pearl	40	230	E27	115	90	80°	100	0016174
60W 230V R63 pearl	60	230	E27	103	63	35°	100	0015569
60W 240V R63 pearl	60	240	E27	103	63	35°	100	0015560
60W 240V R63 pearl	60	240	B22	103	63	35°	100	0015563
60W 230V R80 pearl	60	230	E27	110	80	80°	100	0015576
60W 240V R80 pearl	60	240	E27	110	80	80°	100	0015580
60W 240V R80 pearl	60	240	B22	110	80	80°	100	0015590
60W 230V R90 pearl	60	230	E27	115	90	35°	100	0016185
75W 230V R80 pearl	75	230	E27	110	80	80°	100	0015577
75W 240V R80 pearl	75	240	E27	110	80	80°	100	0015584
75W 230V R95 pearl	75	230	E27	132	95	35°	20	0015601
75W 240V R95 pearl	75	240	E27	132	95	35°	20	0015600
100W 230V R80 pearl	100	230	E27	110	80	80°	100	0015578
100W 240V R80 pearl	100	240	E27	110	80	80°	100	0015585
100W 240V R80 pearl	100	240	B22	110	80	80°	100	0015593
100W 230V R90 pearl	100	230	E27	115	90	35°	20	0016196
100W 230V R95 pearl	100	230	E27	132	95	35°	20	0015603
100W 240V R95 pearl	100	240	E27	132	95	35°	20	0015620
150W 230V R125 pearl	150	230	E27	180	125	80°	20	0015628
150W 240V R125 pearl	150	240	E27	180	125	80°	20	0015630

REFLECTOR COLOURED

Incandescent reflector lamps. The crown of the lamp has a coloured finish, while the rest of the envelope has an aluminium coating, acting as an integral reflector.




FEATURES

- Coloured crown and integral aluminium reflector
- Choice of four colours: Blue, Green Red, and Yellow
- Available in two diameters: 63 and 80 mm
- E27 cap

APPLICATIONS

- Mainly used in entertainment, leisure and display lighting
- To create special lighting effects in bars, clubs and discos as well as in shop windows
- For use in track or surface mounted spotlights or in recessed downlights



Item description		Watt	Volt	Cap	Dimensions (mm)		Packing Quantity	Ordering Code
					L	D		
40W 240V	blue	40	240	E27	103	63	100	0015660
40W 240V	red	40	240	E27	103	63	100	0015661
40W 240V	green	40	240	E27	103	63	100	0015662
40W 240V	yellow	40	240	E27	103	63	100	0015663
60W 240V	blue	60	240	E27	110	80	100	0015700
60W 240V	red	60	240	E27	110	80	100	0015701
60W 240V	green	60	240	E27	110	80	100	0015702
60W 240V	yellow	60	240	E27	110	80	100	0015703

NEODYMIUM

Incandescent reflector lamps with an envelope made of neodymium glass which filters out yellow rays and produces a light that closely simulates natural daylight and increases the contrast between colours.




FEATURES

- Lamp envelope is made of special neodymium glass
- Improved light quality enhancing colours
- E27 cap

APPLICATIONS

- Commercial and domestic decorative lighting. Particularly suitable for craft and hobby work
- In shops selling fabrics, paints, jewels, food, etc.



Item description	Watt	Volt	Cap	Dimensions (mm)		Packing Quantity	Ordering Code
				L	D		
60W 240V E27 50° pearl	60	240	E27	110	80	100	0015564
100W 240V E27 50° pearl	100	240	E27	110	80	100	0015587

REFLECTORS

CROWN SILVERED

GLS or round shaped incandescent lamps with a silvered crown and clear envelope finish. When used in a parabolic reflector spotlight the silver crown of the lamp reflects the light back into the parabolic reflector where it can be focused.





FEATURES

- Standard pear or round shaped envelope
- Silvered crown
- E14 or E27 cap

APPLICATIONS

- Commercial display lighting and domestic decorative lighting
- For use in parabolic reflector spotlights or for special effect in ceiling or table luminaires



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25W 240V E14	clear	25	240	E14	72,5	45	185	100	0017743
40W 240V E14	clear	40	240	E14	72,5	45	360	100	0017744
40W 240V E27	clear	40	240	E27	104	60	360	100	0017739
60W 240V E27	clear	60	240	E27	104	60	620	100	0017740
75W 240V E27	clear	75	240	E27	104	60	800	100	0017741
100W 240V E27	clear	100	240	E27	128	68	1170	100	0017742

PAR38 / PAR38 COOL BEAM

Incandescent PAR lamps made from heat resistant boro-silicate glass with sealed integral parabolic reflector.




FEATURES

- Parabolic-shape made from hard glass
- Clear front lens
- Two beam angles: Spot 12° and Flood 30°
- Weather resistant (not PAR38 Cool Beam)
- Cool Beam version has an integral dichroic reflector
- E27 cap

APPLICATIONS

- Accent lighting in commercial and domestic applications
- Shop windows, displays, etc.
- Outdoor lighting (not PAR38 Cool Beam)
- Cool Beam version is especially suitable for lighting objects sensitive to heat



Item description		Watt	Volt	Cap	Dimensions (mm)		Beam angle	Packing Quantity	Ordering Code
					L	D			
PAR38									
60W/SP/12° PAR38	clear	60	240	E27	136	124	12°	10	0019690
60W/FL/30° PAR38	clear	60	240	E27	136	124	30°	10	0019691
80W/SP/12° PAR38	clear	80	240	E27	136	124	12°	10	0019710
80W/FL/30° PAR38	clear	80	240	E27	136	124	30°	10	0019711
120W/SP/12° PAR38	clear	120	240	E27	136	124	12°	10	0019720
120W/FL/30° PAR38	clear	120	240	E27	136	124	30°	10	0019721
PAR38 Cool Beam									
120W/SP/12° PAR38	clear	120	220-230	E27	136	124	-	15	0020054
120W/FL/30° PAR38	clear	120	220-230	E27	136	124	-	15	0020055

REFLECTORS

PAR38 COLOURED

Incandescent PAR lamps with integral parabolic reflector and coloured front lens.




FEATURES

- Parabolic-shaped made from hard glass
- Coloured front lens
- Choice of four colours: Blue, Green Red, and Yellow
- E27 cap

APPLICATIONS

- Mainly used in commercial accent lighting
- To create special effects in bars, clubs and discos and in shop window displays



Item description		Watt	Volt	Cap	Dimensions (mm)		Packing Quantity	Ordering Code
					L	D		
80W/FL30°PAR38	blue	80	240	E27	136	124	15	0019650
80W/FL30°PAR38	green	80	240	E27	136	124	15	0019651
80W/FL30°PAR38	red	80	240	E27	136	124	15	0019652
80W/FL30°PAR38	yellow	80	240	E27	136	124	15	0019653

TUBULAR

Tubular shaped incandescent lamps.




FEATURES

- Clear or opal envelope finish
- Tubular envelope shape
- E14 or B22 cap

APPLICATIONS

- Domestic and commercial lighting, in homes, offices, shops and hotels
- For use in small, compact luminaires
- Suitable for integration into furniture (cabinets etc.)



Item description		Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
					L	D			
25W 230V E14	opal	25	230	E14	92	28	210	100	0007344
25W 230V E14	clear	25	230	E14	92	28	230	100	0007352
25W 230V B22	clear	25	230	B22	88	28	230	100	0007342
40W 230V E14	opal	40	230	E14	92	28	400	100	0007364
40W 230V E14	clear	40	230	E14	92	28	415	100	0007360
40W 230V B22	opal	40	230	B22	88	28	400	100	0007366
40W 230V B22	clear	40	230	B22	88	28	415	100	0007362
60W 230V E14	opal	60	230	E14	92	28	660	100	0007374
60W 230V E14	clear	60	230	E14	92	28	680	100	0007370
60W 230V B22	opal	60	230	B22	88	28	660	100	0007376
60W 230V B22	clear	60	230	B22	88	28	680	100	0007372

SPECIAL LAMPS

PYGMY / PYGMY OVEN

Small, compact, incandescent lamps for special applications.




FEATURES

- Clear lamp envelope finish
- High temperature resistant (Oven)
- E14 or B22 cap

APPLICATIONS

- Switchboards
- Compact luminaires
- Appliances: ovens (up to 300°C)



Item description	Watt	Volt	Cap	Dimensions (mm)		Light output lm	Packing Quantity	Ordering Code
				L	D			
Pygmy								
15W 240-250V B22 clear	15	240-250	B22	58	28	100	100	0008086
15W 240V E14 clear	15	240	E14	63	28	100	100	0008100
15W 230V E14 pearl	15	230	E14	63	28	105	100	0008020
15W 230V E14 clear	15	230	E14	63	28	105	100	0008021
25W 240V E14 clear	25	240	E14	63	28	225	100	0008120
25W 230V E14 pearl	25	230	E14	63	28	230	100	0008022
25W 230V E14 clear	25	230	E14	63	28	230	100	0008023
Pygmy Oven								
15W 240V E14 oven clear	15	240	E14	49	22	100	100	0008072
15W 240V E14 oven clear	15	240	E14	63	28	100	100	0008076

STRIPLIGHTS

Double-ended 221mm and 284mm tubular incandescent lamps.



FEATURES

- Clear or opal coating
- 221 or 284 mm
- Tubular envelope shape

APPLICATIONS

- Shop windows
- Bathroom and kitchen luminaires
- Cupboards, over mirrors, etc.

LINEAR

Double-ended linear decorative incandescent lamps.





FEATURES

- Double - ended with caps on site
- Tubular envelope shape
- Opal coating
- Choice of size

APPLICATIONS

- Bathroom, bedroom and kitchen luminaires
- Cupboard lighting and over mirrors



Item description	Watt	Volt	Cap	Dimensions (mm)		Packing Quantity	Ordering Code
				L	D		
Striplights							
30 W 240-250V S15s clear	30	240-250	S15s	221	25	50	0007550
30 W 240-250V S15s opal	30	240-250	S15s	221	25	50	0007551
60 W 240-250V S15s clear	60	240-250	S15s	284	25	25	0007597
60 W 240-250V S15s opal	60	240-250	S15s	284	25	25	0007596
Linear							
35W 220-235V S14d opal	35	220-235	S14d	300	30	25	0007433
35W 220-235V S14s opal	35	220-235	S14s	300	26	25	0007435
60W 220-235V S14d opal	60	220-235	S14d	500	30	25	0007448
60W 220-235V S14s opal	60	220-235	S14s	500	26	25	0007450
120W 220-235V S14s opal	120	220-235	S14s	999	26	16	0007463

LAMP CAPS

